

ELETTROMISCELATORE PROFESSIONALE 1.600 W - AKP™

Miscelatore per mescolare in modo efficace ed omogeneo composti liquidi o semi-liquidi. Comprensivo di indicatore luminoso avviso di sovraccarico e sostituzione della spazzola, indicatore di alimentazione.

MATERIALI

Manico in ferro Optimun Protect. Cavo in PVC da 2 mm H05VV-F 2*1,0 mm², spina VDE.

AVVERTENZE

- L'utilizzo e il montaggio del prodotto è esclusivamente riservato al personale esperto



**INFORMAZIONI PRODOTTO:**

CODICE	DESCRIZIONE	CONFEZIONE - PZ.
NUE39003	Miscelatore elettrico	1

DATI TECNICI

PROPRIETÀ	U.d.M.	VALORE
TIPO DI PROTEZIONE	-	Doppio isolamento
CLASSE DI PROTEZIONE	-	II
PALA DI MISCELAZIONE (Ø max.)	[mm]	120/140
VOLUME DELLA MISCELA	[L]	80/120
VOLTAGGIO	[V]	230V/50Hz
POTENZA	[W]	1600
GIRI AL MINUTO	[Giri/min]	180-460/300-750

PROFESSIONAL ELECTROMIXER 1,600 W - AKP™

Mixer for effective and homogeneous mixing of liquid or semi-liquid compounds. Includes overload and brush replacement warning light, power indicator.

MATERIALS

Optimun Protect iron handle. PVC cable H05VV-F 2*1.0 mm², VDE plug.

WARNINGS

- The use and assembly of the product is exclusively reserved for skilled staff



PRODUCT INFORMATION:

CODE	DESCRIPTION	BOX - PCS
NUE39003	Electric mixer	1

TECHNICAL DATA

PROPERTIES	U.o.M.	VALUE
TYPE OF PROTECTION	-	Double insulation
PROTECTION CLASS	-	II
MIXING PADDLE (Ø max.)	[mm]	120/140
MIXTURE VOLUME	[L]	80/120
VOLTAGE	[V]	230V/50Hz
POWER	[W]	1600
REVOLUTIONS PER MINUTE	[RPM]	180-460/300-750